



Product Service

# CERTIFICATE

No. Z2 064992 0008 Rev. 00

**Holder of Certificate:** **Norwell AS**  
Industrivej 20  
5492 Vissenbjerg  
DENMARK

**Certification Mark:**



**Product:** **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713276669-1

**Valid until:** 2028-01-05

**Date,** 2023-01-23

( Tobias Hofmann )

# CERTIFICATE

No. Z2 064992 0008 Rev. 00

**Model(s):** NWPlay108 Arm Walker,  
NWPlay109 Horizontal Ladder,  
NWPlay207 Jumpers,  
NWPlay209 Climbing rails,  
NWPlay304 Balance Beam

## Parameters:

NWPlay108 Arm Walker,  
Metal tube frame with 7 handles  
Height of the handles 164 – 197 cm  
Total length 307 cm, width 65 cm,  
Falling height 201 cm

NWPlay109 Horizontal Ladder  
Horizontal and vertical ladder. Distance of the tubes center to center 30 cm  
Total length 378 cm, width 103 cm,  
Falling height 205 cm

NWPlay207 Jumpers  
Three bended tubes with a height of 302, 502 and 702 mm,  
Length 195, 223, 245 cm  
max Falling height 702 mm

NWPlay209 Climbing Rails  
Banister rails with a ladder entrance. Distance of the steps center to center 30 cm  
Falling height 195 cm, length 362 cm, width 53 cm

NWPlay304 Balance Beam  
Bended metal balance beam Ø76X3,5 mm Height 40 cm

**Tested** EN 1176-1:2017  
**according to:**



Product Service

# CERTIFICATE

No. Z2 064992 0009 Rev. 00

**Holder of Certificate:** **Norwell AS**  
Industrivej 20  
5492 Vissenbjerg  
DENMARK

**Certification Mark:**



**Product:** **Swings**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713276669-2

**Valid until:** 2028-01-05

**Date,** 2023-01-23

( Tobias Hofmann )

# CERTIFICATE

No. Z2 064992 0009 Rev. 00

**Model(s):** NWPlay211 Swing; NWPlay212 Swing  
Double

## Parameters:

Metal tube bow Ø76\*6.85 mm with a single seat  
Two versions of the swing height: 274 cm and 298 cm  
Distance between seat and metal tube 67cm and 72 cm

NWPlay211 Swing,  
Single bow

NWPlay212 Swing Double  
Two single bows

**Tested** EN 1176-1:2017  
**according to:** EN 1176-2:2017



Product Service

# CERTIFICATE

No. Z2 064992 0010 Rev. 00

**Holder of Certificate:** **Norwell AS**  
Industrivej 20  
5492 Vissenbjerg  
DENMARK

**Certification Mark:**



**Product:** **Merry-go-round, Carousel**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713276669-3

**Valid until:** 2028-01-05

**Date,** 2023-01-23

( Tobias Hofmann )

# CERTIFICATE

No. Z2 064992 0010 Rev. 00

**Model(s):** NWPlay208 Spinner

**Parameters:**

NWPlay208 Spinner

Standing plate rubber coated less than 49,8a cm, height over ground 26 cm  
Central pole Ø 40X3 height over the plate 161 cm

**Tested according to:** EN 1176-1:2017  
EN 1176-5:2019